L Number	Hits	Search Text	DB	Time stamp
1	42	(US-6148347-$ or US-5864558-$ or US-6516352-$ or US-5940598-$ or US-5754764-$ or US-5991292-$ or US-5828666-$ or US-5077732-$ or US-6711131-$ or US-6611531-$ or US-6598109-$ or US-6549949-$ or US-6470053-$ or US-6446192-$ or US-6408347-$ or US-6266726-$ or US-6256317-$ or US-6215789-$ or US-6154789-$ or US-6148344-$ or US-6122667-$ or US-5999538-$ or US-5936962-$ or US-5799068-$ or US-5696899-$ or US-5513376-$).did. or (US-5504738-$ or US-5490252-$ or US-5485584-$ or US-5434872-$ or US-5301303-$ or US-5299193-$ or US-5157384-$ or US-4888726-$ or US-4831620-$ or US-4750171-$ or US-4740992-$ or US-5392300-$ or US-5625825-$).did. or (US-20030007581-$ or US-20010027496-$).did. or (EP-726015-$).did.	USPAT; US-PGPUB; DERWENT	2004/05/13 08:23
2	14	((US-6148347-$ or US-5864558-$ or US-6516352-$ or US-5940598-$ or US-5754764-$ or US-5991292-$ or US-5828666-$ or US-5077732-$ or US-6711131-$ or US-6611531-$ or US-6598109-$ or US-6549949-$ or US-6470053-$ or US-6446192-$ or US-6408347-$ or US-6266726-$ or US-6256317-$ or US-6215789-$ or US-6154789-$ or US-6148344-$ or US-6122667-$ or US-5999538-$ or US-5936962-$ or US-5799068-$ or US-5696899-$ or US-5513376-$).did. or (US-5504738-$ or US-5490252-$ or US-5485584-$ or US-5434872-$ or US-5301303-$ or US-5299193-$ or US-5157384-$ or US-4888726-$ or US-4831620-$ or US-4750171-$ or US-4740992-$ or US-5392300-$ or US-5625825-$).did. or (US-20030007581-$ or US-20010027496-$).did. or (EP-726015-$).did.) and master$1 and slave$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:49
3	102	(control$4 near3 (information$1 or data)) same (vc3 or (virtual$1 near3 container$1) or vc-3 or TUG or TUG-2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:25
4	103	(ethernet$1) same (master$1 same slave$1 same (state$1 or mode$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:52
5	2	(ethernet$1 near3 transceiver$1) same (master$1 same slave$1 same (state$1 or mode$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:50
6	362	(transceiver$1) same (master$1 same slave$1 same (state$1 or mode$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:51
7	5	((ethernet$1) same (master$1 same slave$1 same (state$1 or mode$1))) and 370/445.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:52
8	1169	(ethernet$1) and (master$1 same slave$1 same (state$1 or mode$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:54

9	17	((ethernet$1) and (master$1 same slave$1 same (state$1 or mode$1))) and 370/445.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 09:52
10	17	(ethernet$1) and (master$1 same slave$1 same (state$1 or mode$1)) and 370/445.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:02
11	10	("4939752" | "4967344" | "5461608" | "5629685" | "5636214" | "5696896" | "5699501" | "5704032" | "5805596" | "5870301").PN.	USPAT	2004/05/13 09:58
12	116	(ethernet$1) and ((master$1 near3 (station$1 or computer$1)) near10 (slave$1 near3 (station$1 or computer$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:04
13	16	(ethernet$1) same ((master$1 near3 (station$1 or computer$1)) near10 (slave$1 near3 (station$1 or computer$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 12:09
14	31	(ethernet$1) same ((master$1 near3 (state$1 or mode$1)) near10 (slave$1 near3 (state$1 or mode$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 10:07
15	2	("5740163").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 13:08
16	18	((US-6148347-$ or US-5864558-$ or US-6516352-$ or US-5940598-$ or US-5754764-$ or US-5991292-$ or US-5828666-$ or US-5077732-$ or US-6711131-$ or US-6611531-$ or US-6598109-$ or US-6549949-$ or US-6470053-$ or US-6446192-$ or US-6408347-$ or US-6266726-$ or US-6256317-$ or US-6215789-$ or US-6154789-$ or US-6148344-$ or US-6122667-$ or US-5999538-$ or US-5936962-$ or US-5799068-$ or US-5696899-$ or US-5513376-$).did. or (US-5504738-$ or US-5490252-$ or US-5485584-$ or US-5434872-$ or US-5301303-$ or US-5299193-$ or US-5157384-$ or US-4888726-$ or US-4831620-$ or US-4750171-$ or US-4740992-$ or US-5392300-$ or US-5625825-$).did. or (US-20030007581-$ or US-20010027496-$).did. or (EP-726015-$).did.) and (ieee adj1 802.3$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 13:11
17	2	("6459746").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 13:09
18	200	(ieee adj1 802.3$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 13:13
19	54	((ieee adj1 802.3$3).ab.) and transceiver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 13:12

C:\APPS\EAST\Workspaces\09751037.wsp

20	3	(ieee adj1 802.3ab).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 13:14
21	2	("6721916").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/13 13:14
-	137	(ethernet$1 near3 transceiver$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 09:10
-	6	((ethernet$1 near10 transceiver$1).ab.) and 370/445.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 08:35
-	26	(ethernet$1 near3 transceiver$1) and 370/445.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 08:56
-	39	(ethernet$1 near3 transceiver$1) and encoder$1 and decoder$1 and (standard$1 or (industry$1 near3 compliant$1) or (ieee near3 803.$4)) and (custom$1 or propriet$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:51
-	15	(ethernet$1 near3 transceiver$1) and 375/219.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 09:01
-	3	370/445.ccls. and 375/219.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 09:01
-	12	375/219.ccls. and encoder$1 and decoder$1 and (standard$1 or (industry$1 near3 compliant$1) or (ieee near3 803.$4)) and (custom$1 or propriet$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:17
-	909	ethernet$1 near3 transceiver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 09:10
-	39	(ethernet$1 near3 transceiver$1) and encoder$1 and decoder$1 and (standard$1 or (industry$1 near3 compliant$1) or (ieee near3 803.$4)) and (custom$1 or propriet$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 09:13
-	17	(ethernet$1 near3 transceiver$1) and ((standard$1 or (industry$1 near3 compliant$1) or (ieee near3 803.$4)) same (custom$1 or propriet$4) same mode$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 09:18

-	367	ethernet$1 and ((standard$1 or (industry$1 near3 compliant$1) or (ieee near3 803.$4)) same (custom$1 or propriet$4) same mode$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 09:19
-	1	tranceiver$1 same ((standard$1 or (industry$1 near3 compliant$1) or (ieee near3 803.$4)) same (custom$1 or propriet$4) same mode$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 09:19
-	60	ethernet$1 same ((standard$1 or (industry$1 near3 compliant$1) or (ieee near3 803.$4)) same (custom$1 or propriet$4) same mode$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 09:20
-	183	(ethernet$1 near10 transceiver$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:55
-	1	((ethernet$1 near10 transceiver$1).ab.) and encoder$1 and decoder$1 and ((standard$4 or industr$4) near10 (non-standard$1 or custom$1 or propritar$4) near10 (mode$1 or operat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:47
-	5	ethernet$1 and encoder$1 and decoder$1 and ((standard$4 or industr$4) near10 (non-standard$1 or custom$1 or propritar$4) near10 (mode$1 or operat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:21
-	85	encoder$1 and decoder$1 and ((standard$4 or industr$4) near10 (non-standard$1 or custom$1 or propritar$4) near10 (mode$1 or operat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:42
-	7	sallaway-peter$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:40
-	2	easton-douglas$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:41
-	11	webb-matt$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:41
-	82	ethernet$1 and ((standard$4 or industr$4) near10 (non-standard$1 or custom$1 or propritar$4) near10 (mode$1 or operat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:29
-	77	(ethernet$1 and ((standard$4 or industr$4) near10 (non-standard$1 or custom$1 or propritar$4) near10 (mode$1 or operat$4))) not (encoder$1 and decoder$1 and ((standard$4 or industr$4) near10 (non-standard$1 or custom$1 or propritar$4) near10 (mode$1 or operat$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 13:43
-	7	("5826048" | "6148347" | "6311247" | "6334793" | "6345330" | "6404393" | "6404626").PN.	USPAT	2004/05/11 13:51

-	7	("5351241" | "5355375" | "5402420" | "5699515" | "5742239" | "5771235" | "5774658").PN.	USPAT	2004/05/11 14:03
-	1	tranceiver$1 and ((standard$4 or industr$4) near10 (non-standard$1 or custom$1 or propritar$4) near10 (mode$1 or operat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:50
-	0	tranceiver$1 same ((standard$4 or industr$4) near10 (non-standard$1 or custom$1 or propritar$4) near10 (mode$1 or operat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:51
-	344	device$1 same ((standard$4 or industr$4) near10 (non-standard$1 or custom$1 or propritar$4) near10 (mode$1 or operat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:03
-	1457	375/219-220.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:51
-	30	(ethernet$1 near10 transceiver$1) and 375/219-220.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:52
-	5	375/219-220.ccls. and ((standard$4 or industr$4) near10 (non-standard$1 or custom$1 or propritar$4) near10 (mode$1 or operat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:27
-	3	(ethernet$1 near4 (unit$1 or card$1 or module$1 or interface$1)) same ((standard$4 or industr$4) near10 (non-standard$1 or custom$1 or propritar$4) near10 (mode$1 or operat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:08
-	17	((ethernet$1 or network$4) near4 (unit$1 or card$1 or module$1 or interface$1)) same ((standard$4 or industr$4) near10 (non-standard$1 or custom$1 or propritar$4) near10 (mode$1 or operat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:13
-	698	(operat$4 or determin$4 or perform$4) near3 ((standard$4 or industr$4) near10 (non-standard$1 or custom$1 or propritar$4) near10 (mode$1 or operat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:14
-	45	((operat$4 or determin$4 or perform$4) near3 ((standard$4 or industr$4) near10 (non-standard$1 or custom$1 or propritar$4) near10 (mode$1 or operat$4))) and ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:19
-	34	("4663704" | "4680753" | "4689786" | "4864489" | "4916610" | "5006992" | "5063523" | "5134574" | "5155842" | "5168441" | "5293466" | "5307346" | "5311451" | "5311562" | "5371895" | "5412643" | "5432711" | "5442639" | "5444851" | "5475856" | "5481741" | "5485400" | "5485620" | "5493534" | "5513095" | "5519878" | "5524269" | "5530643" | "5549137" | "5550980" | "5566320" | "5576946" | "5623592" | "5793963").PN.	USPAT	2004/05/11 15:18

-	5	(("4663704" | "4680753" | "4689786" | "4864489" | "4916610" | "5006992" | "5063523" | "5134574" | "5155842" | "5168441" | "5293466" | "5307346" | "5311451" | "5311562" | "5371895" | "5412643" | "5432711" | "5442639" | "5444851" | "5475856" | "5481741" | "5485400" | "5485620" | "5493534" | "5513095" | "5519878" | "5524269" | "5530643" | "5549137" | "5550980" | "5566320" | "5576946" | "5623592" | "5793963").PN.) and ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:24
-	9	("5305320" | "5351241" | "5355375" | "5402420" | "5684802" | "5699515" | "5742239" | "5771235" | "5774658").PN.	USPAT	2004/05/11 15:22
-	190317	(network$1 near3 interface$4 near3 card$1) or nic$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/05/11 16:41
-	42009	encoder$1 and decoder$1 and (control$4 or processor$1 or cpu$1 or manager$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:27
-	247447	(standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:28
-	19604	(non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:58
-	52708	master$1 and slave$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:30
-	770	370/254-255.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:31
-	1640	370/461-463.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:31
-	2698	370/464-466.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:31
-	3209	370/469,401.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:31
-	1170	370/402,418-420.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:32

C:\APPS\EAST\Workspaces\09751037.wsp

-	1017	370/445.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:32
-	6717	709/200-203.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:32
-	584	709/208,209.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:32
-	1874	709/220,221.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:33
-	6805	709/227-232.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:33
-	661	709/236.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:39
-	1986	710/8-14.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:40
-	1534	710/15-21.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:40
-	321	710/14.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:41
-	740	710/311-315.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:42
-	206627	(network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:42
-	541	710/311-315.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:42

-	28	710/311-315.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and (encoder$1 and decoder$1 and (control$4 or processor$1 or cpu$1 or manager$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:43
-	0	710/311-315.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and (encoder$1 and decoder$1 and (control$4 or processor$1 or cpu$1 or manager$1)) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:43
-	9	710/311-315.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:49
-	6	710/14.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:56
-	20	710/15-21.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:05
-	6	710/8-14.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1)) and (encoder$1 and decoder$1 and (control$4 or processor$1 or cpu$1 or manager$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:05
-	39	710/8-14.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:18

C:\APPS\EAST\Workspaces\09751037.wsp

-	0	709/324.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:19
-	0	709/322.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:19
-	0	709/321.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:19
-	11	709/236.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:26
-	155	709/227-232.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:26
-	15	709/227-232.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1)) and (encoder$1 and decoder$1 and (control$4 or processor$1 or cpu$1 or manager$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:34
-	7	709/220,221.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1)) and (encoder$1 and decoder$1 and (control$4 or processor$1 or cpu$1 or manager$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:37

C:\APPS\EAST\Workspaces\09751037.wsp

-	0	709/208,209.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1)) and (encoder$1 and decoder$1 and (control$4 processor$1 or cpu$1 or manager$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:37
-	7	709/208,209.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:39
-	136	709/200-203.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:39
-	11	709/200-203.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1)) and (encoder$1 and decoder$1 and (control$4 or processor$1 or cpu$1 or manager$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:46
-	4	370/445.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:50
-	270	370/445.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:50
-	4	370/445.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:50
-	133	370/445.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:50

C:\APPS\EAST\Workspaces\09751037.wsp

-	31	370/445.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and (encoder$1 and decoder$1 and (control$4 or processor$1 or cpu$1 or manager$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:07
-	4	370/445.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:07
-	12	370/402,418-420.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:12
-	9	370/469,401.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1)) and (encoder$1 and decoder$1 and (control$4 or processor$1 or cpu$1 or manager$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:12
-	97	370/469,401.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:23

-	98	("4005388" | "4310720" | "4876742" | "4878051" | "4916441" | "4942534" | "5047958" | "5049862" | "5148155" | "5150355" | "5155837" | "5157384" | "5165021" | "5194852" | "5204768" | "5210854" | "5231646" | "5239652" | "5241303" | "5257369" | "5260697" | "5261055" | "5276679" | "5276839" | "5299193" | "5301303" | "5305384" | "5307297" | "5309351" | "5313051" | "5315711" | "5321840" | "5327531" | "5329625" | "5341503" | "5347295" | "5355414" | "5355503" | "5371738" | "5372161" | "5375230" | "5396443" | "5404458" | "5421009" | "5423045" | "5430877" | "5434972" | "5440502" | "5456822" | "5457478" | "5461667" | "5463623" | "5467102" | "5485171" | "5485460" | "5491495" | "5495593" | "5504746" | "5508713" | "5515509" | "5519843" | "5519878" | "5526023" | "5526287" | "5528231" | "5528660" | "5528743" | "5533147" | "5534893" | "5535357" | "5543588" | "5553296" | "5555157" | "5561446" | "5564020" | "5568645" | "5572528" | "5574861" | "5583542" | "5590373" | "5594462" | "5594731" | "5597307" | "5598410" | "5600801" | "5602854" | "5623677" | "5628055" | "5630061" | "5636371" | "5640394" | "5642185" | "5659685" | "5692126" | "5696903" | "5717737" | "5724555" | "5812882").PN.	USPAT	2004/05/11 18:21
-	49	370/464-466.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:28
-	22	370/461-463.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:33
-	8	("4823386" | "4829569" | "4894789" | "4926255" | "4987486" | "5014125" | "5093718" | "5247347").PN.	USPAT	2004/05/11 18:33
-	10	370/254-255.ccls. and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:34
-	412	(master$1 and slave$4) and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:34

C:\APPS\EAST\Workspaces\09751037.wsp

-	153	(master$1 and slave$4) and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1)) and (encoder$1 and decoder$1 and (control$4 or processor$1 or cpu$1 or manager$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:35
-	124	(master$1 and slave$4) and ((network$1 near3 interface$4 near3 card$1) or nic$1 or pci$1 or (ethernet$1 near3 tranceiver$1) or ((ethernet$1 or network$4) near5 (unit$1 or card$1 or module$1 or interface$1))) and ((standard$4 or industr$4 or default$1 or ieee$1 or ethernet$1) near10 (mode$1 or operat$4 or state$1)) and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1)) and (encoder$1 and decoder$1 and (control$4 or processor$1 or cpu$1 or manager$1)) and ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:35
-	23	((ethernet$1 near10 transceiver$1).ab.) and encoder$1 and decoder$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:47
-	3	("3786432" | "5142635" | "5210749").PN.	USPAT	2004/05/11 18:51
-	26	5485584.URPN.	USPAT	2004/05/11 18:52
-	14	(ethernet$1 near3 transceiver$1) and encoder$1 and decoder$1 and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near10 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:57
-	7143	(non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) adj5 (mode$1 or operat$4 or state$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 19:02
-	29	(nic$1) and encoder$1 and decoder$1 and ((non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) adj5 (mode$1 or operat$4 or state$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 18:58
-	40	(non-standard$4 or non-industr$4 or custom$1 or private$1 or propritar$4) near3 (mode$1 or operat$4 or state$1) near3 (ethernet$1 or network$4) near3 (card$1 or interface$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 19:04
-	3	(non-standard$4 or non-industr$4 or custom$1 or propritar$4) near3 (mode$1 or operat$4 or state$1) near3 (ethernet$1 or network$4) near3 (card$1 or interface$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 19:05
-	3	((non near3 standard$4) or (non near3 industr$4) or custom$1 or propritar$4) near3 (mode$1 or operat$4 or state$1) near3 (ethernet$1 or network$4) near3 (card$1 or interface$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 19:06
-	17	((non near3 standard$4) or (non near3 industr$4) or custom$1 or propritar$4) near3 (mode$1 or operat$4 or state$1) same ((ethernet$1 or network$4) near3 (card$1 or interface$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 19:06

C:\APPS\EAST\Workspaces\09751037.wsp

-	21	(("4493021") or ("4485436") or ("4292623") or ("4430651") or ("3993981") or ("3995258") or ("4000485") or ("4001790") or ("4050097")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 09:20
-	7	("5826048" | "6148347" | "6311247" | "6334793" | "6345330" | "6404393" | "6404626").PN.	USPAT	2004/05/12 10:46
-	0	6598109.URPN.	USPAT	2004/05/12 10:50
-	0	6598109.URPN.	USPAT	2004/05/12 10:50
-	3293	370/463-466.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:14
-	0	(multimode$1 or (multi-mode$1) or (dual$1-mode$1)) and (custom$1 near3 mode$1) and ((standard$1 or industry$4) near3 mode$1) and tranceiver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:16
-	24351	(multimode$1 or (multi-mode$1) or (dual$1-mode$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:30
-	0	(custom$1 near3 mode$1) and ((standard$1 or industry$4) near3 mode$1) and tranceiver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:16
-	120	(custom$1 near3 mode$1) and ((standard$1 or industry$4) near3 mode$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:19
-	23	(custom$1 near3 mode$1) and ((standard$1 or industry$4) near3 mode$1) and ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:17
-	42	(custom$1 near3 mode$1) and ((standard$1 or industry$4) near3 mode$1) and decoder$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:19
-	2	(custom$1 near3 mode$1) and ((standard$1 or industry$4) near3 mode$1) and 370/463-466.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:20
-	0	(custom$1 near3 mode) and ((standard$1 or industry$4) near3 mode) and 370/463-466.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:20
-	1	(custom$1 near3 mode) and ((standard$1 or industry$4) near3 mode) and 370/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:21

-	16	((custom$1 or special$1 or other$1 or (non near3 stanadard$4) or non near3 indust$4) near3 mode) and ((standard$1 or industry$4) near3 mode) and 370/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:39
-	21	(multimode$1 or (multi-mode$1) or (dual$1-mode$1)) and 370/463-466.ccls. and ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:43
-	961	370/463-466.ccls. and ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:39
-	0	((custom$1 or special$1 or other$1 or (non near3 stanadard$4) or non near3 indust$4) near3 mode) and ((standard$1 or industry$4) near3 mode) and (370/463-466.ccls. and ethernet$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:40
-	11	((custom$1 or special$1 or other$1 or (non near3 stanadard$4) or non near3 indust$4) near3 mode) and (370/463-466.ccls. and ethernet$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:47
-	51	(multimode$1 or (multi-mode$1) or (dual$1-mode$1)) near10 ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:43
-	5	((custom$1 or special$1 or other$1 or (non near3 stanadard$4) or non near3 indust$4) near3 mode) near10 ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:48
-	15	((custom$1 or special$1 or other$1 or (non near3 stanadard$4) or non near3 indust$4) near3 mode) near10 transceiver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:48
-	89	(multimode$1 or (multi-mode$1) or (dual$1-mode$1)) and 370/463-466.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:52
-	7	("5077732" | "5548727" | "5701514" | "5758194" | "6085236" | "6195365" | "6389476").PN.	USPAT	2004/05/12 11:54
-	10	("4961185" | "4975830" | "5008879" | "5021943" | "5062108" | "5077732" | "5095445" | "5189525" | "5251318" | "5276898").PN.	USPAT	2004/05/12 11:59
-	1	6574237.URPN.	USPAT	2004/05/12 12:02
-	5	("6253238" | "6373817" | "6377782" | "6418169" | "6574237").PN.	USPAT	2004/05/12 12:02
-	14	("5530894" | "5768530" | "5793983" | "5819110" | "5828655" | "5838989" | "5864535" | "5867662" | "5918021" | "5982854" | "6070199" | "6098103" | "6308239" | "6345310").PN.	USPAT	2004/05/12 12:04

-	38	(US-6598109-$ or US-6408347-$ or US-6266726-$ or US-5999538-$ or US-5936962-$ or US-6148347-$ or US-6470053-$ or US-4740992-$ or US-6154789-$ or US-5696899-$ or US-5799068-$ or US-6549949-$ or US-6446192-$ or US-4888726-$ or US-4750171-$ or US-6711131-$ or US-6122667-$ or US-5434872-$ or US-6611531-$ or US-5991292-$ or US-6215789-$ or US-6148344-$ or US-5301303-$ or US-5299193-$ or US-5157384-$ or US-5504738-$).did. or (US-5485584-$ or US-5754764-$ or US-5513376-$ or US-4831620-$ or US-5490252-$ or US-6256317-$ or US-6516352-$ or US-5940598-$ or US-5864558-$ or US-5077732-$ or US-5828666-$).did. or (US-20030007581-$).did.	USPAT; US-PGPUB	2004/05/12 12:44
-	14	full near3 duplex$1 and ((US-6598109-$ or US-6408347-$ or US-6266726-$ or US-5999538-$ or US-5936962-$ or US-6148347-$ or US-6470053-$ or US-4740992-$ or US-6154789-$ or US-5696899-$ or US-5799068-$ or US-6549949-$ or US-6446192-$ or US-4888726-$ or US-4750171-$ or US-6711131-$ or US-6122667-$ or US-5434872-$ or US-6611531-$ or US-5991292-$ or US-6215789-$ or US-6148344-$ or US-5301303-$ or US-5299193-$ or US-5157384-$ or US-5504738-$).did. or (US-5485584-$ or US-5754764-$ or US-5513376-$ or US-4831620-$ or US-5490252-$ or US-6256317-$ or US-6516352-$ or US-5940598-$ or US-5864558-$ or US-5077732-$ or US-5828666-$).did. or (US-20030007581-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:23
-	4	(("6304847") or ("5740163")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:24
-	0	(encoder$1 with (dual adj mode)) and ethernet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:24
-	50	encoder$1 with (dual adj mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 16:06
-	31	encoder$1 same decoder$1 same (dual adj mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:29
-	0	encoder$1 same decoder$1 same (dual adj mode) and nic$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:30
-	2	(dual adj mode) with nic$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:31
-	3	(dual adj mode) same nic$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:47

-	0	(dual adj mode) same nic$1 and 710/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:47
-	4	(dual adj mode) same transceiver$1 and 710/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:49
-	10	(dual adj mode) same card$1 and 710/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:51
-	7	(dual adj mode) and encoder$1 and decoder$1 and 710/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:54
-	10	(dual adj mode) and encoder$1 and decoder$1 and 709/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:55
-	1	(two adj mode) and encoder$1 and decoder$1 and 709/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:56
-	74	(two adj mode$2) and encoder$1 and decoder$1 and 709/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:56
-	168	(two near3 mode$2) and encoder$1 and decoder$1 and 709/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:56
-	34	(two adj mode$2) and encoder$1 and decoder$1 and 709/$.ccls. and ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 14:58
-	43	(two adj2 mode$2) and encoder$1 and decoder$1 and 709/$.ccls. and ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:09
-	39	(two adj2 mode$2) and encoder$1 and decoder$1 and 710/$.ccls. and ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:13
-	6	(dual$1 adj2 mode$2) and encoder$1 and decoder$1 and 710/$.ccls. and ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:29

-		0	(twol$1 adj2 mode$2) and encoder$1 and decoder$1 and 710/$.ccls. and ethernet$1 and transceiver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:15
-		25	(two$1 adj2 mode$2) and encoder$1 and decoder$1 and 710/$.ccls. and ethernet$1 and transceiver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:15
-		2	("5838904").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:27
-		0	(dual$1 adj2 mode$2 adj2 transceiver$1) and encoder$1 and decoder$1 and ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:34
-		4	(two$1 adj2 mode$2 adj2 transceiver$1) and encoder$1 and decoder$1 and ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:32
-		1	(two$1 adj2 mode$2) same encoder$1 same decoder$1 same ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:32
-		4	(two$1 near3 mode$2) same encoder$1 same decoder$1 same ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:33
-		1	(two$1 adj4 mode$2) same encoder$1 same decoder$1 same ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:33
-		2	(two$1 adj10 mode$2) same encoder$1 same decoder$1 same ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:33
-		69	(dual$1 adj2 mode$2) and encoder$1 and decoder$1 and ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:34
-		0	(dual$1 adj2 mode$2) same encoder$1 same decoder$1 same ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:34
-		2	(dual$1 adj2 mode$2) same encoder$1 same decoder$1 and ethernet$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:35

C:\APPS\EAST\Workspaces\09751037.wsp

-	1	us20020085628a1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:47
-	0	us20020085628a1-$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:47
-	0	us20020085628-$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:47
-	2	us-20020085628-$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:48
-	38	(ethernet$1 near3 transceiver$1) and encoder$1 and decoder$1 and ((dual or two) near3 mode$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:53
-	1	encoder$1 with (dual adj mode) and (state$1 near3 machine$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 16:05
-	9	encoder$1 with (dual adj mode) and (machine$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 16:05
-	45	encoder with (dual adj mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 16:43
-	2	("6304847").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 16:43
-	42	(US-6598109-$ or US-6408347-$ or US-6266726-$ or US-5999538-$ or US-5936962-$ or US-6148347-$ or US-6470053-$ or US-4740992-$ or US-6154789-$ or US-5696899-$ or US-5799068-$ or US-6549949-$ or US-6446192-$ or US-4888726-$ or US-4750171-$ or US-6711131-$ or US-6122667-$ or US-5434872-$ or US-6611531-$ or US-5991292-$ or US-6215789-$ or US-6148344-$ or US-5301303-$ or US-5299193-$ or US-5157384-$ or US-5504738-$).did. or (US-5485584-$ or US-5754764-$ or US-5513376-$ or US-4831620-$ or US-5490252-$ or US-6256317-$ or US-6516352-$ or US-5940598-$ or US-5864558-$ or US-5077732-$ or US-5828666-$ or US-5392300-$ or US-5625825-$).did. or (US-20030007581-$ or US-20010027496-$).did. or (EP-726015-$).did.	USPAT; US-PGPUB; DERWENT	2004/05/12 16:45

-		1	(encoder$1) and decoder and 4888726.PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:45
-		9	(encoder$1) and decoder and ((US-6598109-$ or US-6408347-$ or US-6266726-$ or US-5999538-$ or US-5936962-$ or US-6148347-$ or US-6470053-$ or US-4740992-$ or US-6154789-$ or US-5696899-$ or US-5799068-$ or US-6549949-$ or US-6446192-$ or US-4888726-$ or US-4750171-$ or US-6711131-$ or US-6122667-$ or US-5434872-$ or US-6611531-$ or US-5991292-$ or US-6215789-$ or US-6148344-$ or US-5301303-$ or US-5299193-$ or US-5157384-$ or US-5504738-$).did. or (US-5485584-$ or US-5754764-$ or US-5513376-$ or US-4831620-$ or US-5490252-$ or US-6256317-$ or US-6516352-$ or US-5940598-$ or US-5864558-$ or US-5077732-$ or US-5828666-$ or US-5392300-$ or US-5625825-$).did. or (US-20030007581-$ or US-20010027496-$).did. or (EP-726015-$).did.) and ((dual or two) near3 mode$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:18
-		0	non-standard$1 near3 ethernet$1 near3 transceiver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:18
-		0	non near3 standard$1 near3 ethernet$1 near3 transceiver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:19
-		0	custom near3 ethernet$1 near3 transceiver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:20
-		0	non near3 standard$1 near3 ethernet$1 near3 nic$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:19
-		0	non near3 standard$1 near3 nic$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:19
-		0	custom near3 ethernet$1 near3 nic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:22
-		4	custom near3 nic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:35
-		2	custom near3 mode near3 transceiver$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:21

-	0	custom near3 mode near3 nic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:21
-	1	custom near3 mode near3 ethernet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:21
-	0	dual-mode$1 near3 ethernet$1 near3 nic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:22
-	0	dual-mode$1 near3 nic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:22
-	0	encoding near3 custom near3 mode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:35
-	0	decoding near3 custom near3 mode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:36
-	1	encod$1 near3 custom near3 mode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:41
-	2	decod$1 near3 custom near3 mode$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:36
-	2	("6446192").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:41
-	0	assembl$4 and reassembl$4 and 4888726.PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 17:45

| - | | 5 | assembl$4 and ((US-6598109-$ or US-6408347-$ or US-6266726-$ or US-5999538-$ or US-5936962-$ or US-6148347-$ or US-6470053-$ or US-4740992-$ or US-6154789-$ or US-5696899-$ or US-5799068-$ or US-6549949-$ or US-6446192-$ or US-4888726-$ or US-4750171-$ or US-6711131-$ or US-6122667-$ or US-5434872-$ or US-6611531-$ or US-5991292-$ or US-6215789-$ or US-6148344-$ or US-5301303-$ or US-5299193-$ or US-5157384-$ or US-5504738-$).did. or (US-5485584-$ or US-5754764-$ or US-5513376-$ or US-4831620-$ or US-5490252-$ or US-6256317-$ or US-6516352-$ or US-5940598-$ or US-5864558-$ or US-5077732-$ or US-5828666-$ or US-5392300-$ or US-5625825-$).did. or (US-20030007581-$ or US-20010027496-$).did. or (EP-726015-$).did.) and reassembl$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/12 17:58 |
| - | | 2 | ("5740163").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/12 17:58 |

C:\APPS\EAST\Workspaces\09751037.wsp